

表1 限用物質含有情況超出百分比含量基準之標示

設備名稱：漏電線斷路器(RCBO) Equipment name 型號(型式)：SV250N NV225-CN 1 § 2W/1 § 3W/ 3 § 3W 3P 高速型 220V~440V 60Hz Type 225AF(125/150/175/200/225A)(100/300/500mA)可調 Icu :220V/30kA,380V/22kA,440V/15kA(系列型號參閱次頁)						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
金屬件(鐵件/銅件/螺絲)	○	○	○	○	○	○
塑膠件(外殼/把手)	○	○	○	○	○	○
電氣接點	○	○	○	○	○	○
絕緣材料	○	○	○	○	○	○
銅撚線	○	○	○	○	○	○
電子迴路部	○	○	○	○	○	○
備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值。 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考3. “—”係指該項限用物質為排除項目。 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption.						

型式	SV250N NV225-CN 1 ϕ 2W/1 ϕ 3W/ 3 ϕ 3W 3P 高速型 220V~440V 60Hz 225AF(125/150/175/200/225A)(100/300/500mA)可調 Icu :220V/30kA, 380V/22kA,440V/15kA
系列型式	1. NV225-CN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W 3P 延時型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(100mA/300mA/500mA)可調 Icu:220V/30kA,380V/22kA, 440V/15kA
	2. NV225-CN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W 3P 高速型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(100mA/300mA/500mA)可調 Icu:220V/30kA,380V/22kA, 440V/15kA
	3. NV225-CN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W 3P 高速型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(30mA) Icu:220V/30kA,380V/22kA,440V/15kA
	4. NV225-CN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W/3 ϕ 4W 4P 延時型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(100mA/300mA/500mA)可調 Icu:220V/30kA,380V/22kA, 440V/15kA I _{su} :440V/3.75kA
	5. NV225-CN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W/3 ϕ 4W 4P 高速型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(100mA/300mA/500mA)可調 Icu:220V/30kA,380V/22kA, 440V/15kA I _{su} :440V/3.75kA
	6. NV225-CN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W/3 ϕ 4W 4P 高速型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(30mA) Icu:220V/30kA,380V/22kA,440V/15kA
	7. NV225-SN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W 3P 延時型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(100mA/300mA/500mA)可調 Icu:220V/50kA,380V/30kA, 440V/25kA
	8. NV225-SN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W 3P 高速型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(100mA/300mA/500mA)可調 Icu:220V/50kA,380V/30kA, 440V/25kA
	9. NV225-SN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W 3P 高速型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(30mA) Icu:220V/50kA,380V/30kA,440V/25kA
	10. NV225-SN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W/3 ϕ 4W 4P 延時型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(100mA/300mA/500mA)可調 Icu:220V/50kA, 380V/30kA,440V/25kA I _{su} :440V/6.25kA
	11. NV225-SN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W/3 ϕ 4W 4P 高速型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(30mA) Icu:220V/50kA,380V/30kA,440V/25kA
	12. NV225-SN-KL 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W/3 ϕ 4W 4P 高速型 220V~440V 60Hz 225AF(125A/150A/175A/200A/225A)(100mA/300mA/500mA)可調 Icu:220V/50kA, 380V/30kA,440V/25kA I _{su} :440V/6.25kA
	13. SV250N NV225-CN 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W 3P 延時型 220V~440V 60Hz 225AF(125/150/175/200/225A)(100/300/500mA)可調 Icu:220V/30kA,380V/22kA,440V/15kA
	14. SV250N NV225-CN 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W 3P 高速型 220V~440V 60Hz 225AF(125/150/175/200/225A)(30mA) Icu:220V/30kA,380V/22kA,440V/15kA
	15. SV250N NV225-CN 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W/3 ϕ 4W 4P 高速型 220V~440V 60Hz 225AF(125/150/175/200/225A)(30mA) Icu:220V/30kA,380V/22kA,440V/15kA
	16. SV250N NV225-CN 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W/3 ϕ 4W 4P 延時型 220V~440V 60Hz 225AF(125/150/175/200/225A)(100/300/500mA)可調 Icu:220V/30kA,380V/22kA,440V/15kA

系列型式	17. SV250N NV225-CN 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W /3 ϕ 4W 4P 高速型 220V~440V 60Hz 225AF(125/150/175/200/225A)(100/300/500mA)可調 Icu:220V/30kA,380V/22kA,440V/15kA
	18. SV250N NV225-SN 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W 3P 延時型 220V~440V 60Hz 225AF(125/150/175/200/225A)(100/300/500mA)可調 Icu:220V/50kA,380V/30kA,440V/25kA
	19. SV250N NV225-SN 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W 3P 高速型 220V~440V 60Hz 225AF(125/150/175/200/225A)(100/300/500mA)可調 Icu:220V/30kA,380V/30kA,440V/25kA
	20. SV250N NV225-SN 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W 3P 高速型 220V~440V 60Hz 225AF(125/150/175/200/225A)(30mA) Icu:220V/50kA,380V/30kA,440V/25kA
	21. SV250N NV225-SN 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W/3 ϕ 4W 4P 延時型 220V~440V 60Hz 225AF(125/150/175/200/225A)(100/300/500mA)可調 Icu:220V/50kA,380V/30kA,440V/25kA
	22. SV250N NV225-SN 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W/3 ϕ 4W 4P 高速型 220V~440V 60Hz 225AF(125/150/175/200/225A)(100/300/500mA)可調 Icu:220V/50kA,380V/30kA,440V/25kA
	23. SV250N NV225-SN 1 ϕ 2W/1 ϕ 3W/3 ϕ 3W/3 ϕ 4W 4P 高速型 220V~440V 60Hz 225AF(125/150/175/200/225A)(30mA) Icu:220V/50kA,380V/30kA,440V/25kA